

DANGER
KEEP OUT OF REACH OF CHILDREN

GEA

 **FIL**

FARM CHLOR[®] TROUGH TABLETS

Contains Calcium Hypochlorite Mixture

High strength chlorine tablets for
disinfection of water to inhibit the growth
of bacteria, viruses and algae

Farm dairy water treatment (and stock water treatment)

NET CONTENTS 10KG

FARM CHLOR® TROUGH TABLETS

DIRECTIONS FOR USE

It is dangerous to use this product in a manner inconsistent with its labelling. Keep and use Farm Chlor® in the supplied container in a cool, dry, well ventilated area with the lid tightly closed immediately after use. Never mix Farm Chlor® with other chemicals including other chlorine chemicals. This product is chemically reactive with many products and contamination of this product with any chemical or organic material may result in chemical reaction and fire. Temperatures above 52°C (125°F) may cause sufficient heat generation to ignite combustible materials. Farm Chlor® is designed for use with the Farm Chlor® system to deliver reliable chlorine dosing. After replenishing and closing the Farm Chlor® system, always rinse the system with fresh water to prevent damage. Wear protective clothing - gloves, eye, face protection. Use only with clean plastic scoop, do not eat drink or smoke whilst using this product. Wash hands after use.

FOR USE DIRECTLY INTO STOCK DRINKING TROUGHS:

Add 3 tablets to a 1,000L trough 12 hours before cows are introduced and after the cows are moved to a different paddock. This will prevent algae and bacterial growth for up to 4 weeks. Each tablet weighs 7g.

FARM CHLOR® APPLICATION:

Product should be loaded into the sleeve of Farm Chlor®. The dial must be set to provide a recommended level of 1-5ppm residual chlorine at the point of use. It is recommended to begin dosing at a low level to establish the point of use concentration - which will be determined with test strips supplied.

Replenish as necessary. This product is approved for use with the Farm Chlor® water disinfection system, however for best results use Farm Chlor® Chlorinator rods. Refer to Farm Chlor® Disinfection System instructions for further information.

BARCODE

4523-402

HAZARD STATEMENTS

Oxidizer: May intensify fire. Harmful if swallowed, in contact with skin, or inhaled. Corrosive to Metals. Causes severe skin burns and eye damage. Very toxic to aquatic life and to terrestrial vertebrates.

Dangerous Goods:
Oxidiser 5.1



PREVENTION STATEMENTS

Keep out of reach of children; Read label and safety data sheet before use. Keep only in original container. Do not breathe vapours/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves, protective clothing and eye/face protection.



RESPONSE STATEMENTS

If medical advice is needed, have product container or label at hand. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately dilute with a glass of water. Call a POISON CENTRE or doctor if you feel unwell. IF ON SKIN (or hair): Wash with plenty of soap and water. Immediately remove all contaminated clothing. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation or discomfort persists call a POISON CENTRE or doctor. Absorb spillage to prevent material damage.



STORAGE STATEMENTS

Do not contaminate water, food, or feed by storage and disposal. Store up to 2 years in original, tightly closed containers below 30°C (86°F) in a secure area inaccessible to children and away from other chemicals or combustible materials. Keep away from fires, ignition sources, heaters and flames.

DISPOSAL STATEMENTS

This product may be disposed of at an approved waste disposal facility.