

DANGER
KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY



STOCK IODINE 2.5%

Contains 12.5g/L Iodine, 16.6g/L Potassium Iodide and 340g/L Ethyl Alcohol

Iodine solution dietary supplement

For iodising drinking water in areas of iodine deficiency



FLAMMABLE LIQUID; TOXIC SUBSTANCE - SKIN IRRITANT; EYE IRRITANT; SENSITISER; TOXIC TO TARGET ORGANS OR SYSTEMS (SUSPECTED); ECOTOXIC IN THE AQUATIC ENVIRONMENT (SUSPECTED); EPA APPROVAL CODE: HSR001996.



STOCK IODINE 2.5%

Iodine solution for iodising drinking water in areas of iodine deficiency.

DIRECTIONS FOR USE

For iodising drinking water 5mL in 1000 litres to give 0.125mg/L. Diets containing 0.5mg/kg DM will more than adequately meet the iodine requirements of cattle, sheep, goats and deer. To be used only in areas of iodine deficiency.

Treatment using 2.5% Stock Iodine

Animal	Dose per 10 animals
Horses	3mL - 7mL
Dairy Cows	4mL - 8mL
Sheep	1.5mL - 3mL
Pigs	3mL - 6mL
Fowls	0.3mL - 0.6mL
Bulk Water Treatment	5mL/1000L

4660-016

HAZARD

Highly flammable liquid and vapour. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause damage to organs (single exposure). May cause damage to organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

PREVENTION

Read label before use. Read Safety Data Sheet before use. Keep away from heat. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof ventilated equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe vapours. Wash hands thoroughly after handling. Do not eat drink or smoke while using this product. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment.

Wear protective gloves and eye / face protection.

RESPONSE

If medical advice is needed, have product container or label at hand. IF SWALLOWED: Do NOT induce vomiting. Rinse mouth then give a glass or two of water or milk. Call a Poison Centre or Doctor if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. Remove contaminated clothing. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin or eye irritation persists get medical attention. Wash contaminated clothing before reuse. Collect spillage.

24 HOUR EMERGENCY RESPONSE: 0800 243 6225 (0800 CHEMCALL)

STORAGE

Store in a well ventilated place. Keep cool. Store locked up.

DISPOSAL

Dispose of product or empty containers safely. Avoid contamination of any water supply with product or empty container. Ethanol: Land Spill - Apply appropriate foam to diminish vapour and fire hazard. Water spill - Use natural barriers or oil spill control booms to limit spill travel. Allow to aerate. Air spill - Apply water spray or mist to knock down vapours.

SCAN FOR PRODUCT INFORMATION

